

5mm PITCH (5M) HTD PULLEYS (FOR USE WITH HTD BELTS ONLY)

| Catalogue Code | No. of Grooves | Pulley Designation | Pulley Type | Bush No. | Max Bore |       | Pitch Dia. | Outside Dia. | A   | F    | J | K | L  | M   | N   |
|----------------|----------------|--------------------|-------------|----------|----------|-------|------------|--------------|-----|------|---|---|----|-----|-----|
|                |                |                    |             |          | Metric   | Inch  |            |              |     |      |   |   |    |     |     |
| 043F0028       | 28             | 28-5M-15           | 1F          | 6mm*     | 19       | 3/4   | 44.56      | 43.42        | 49  | 22   | - | - | 30 | 8   | 31  |
| 043F0032       | 32             | 32-5M-15           | 1F          | 8mm*     | 22       | 7/8   | 50.93      | 49.79        | 56  | 22   | - | - | 30 | 8   | 38  |
| 043F0034       | 34             | 34-5M-15           | 2F          | 1008     | 25       | 1     | 54.11      | 52.97        | 57  | 22   | - | - | 22 | 0   | 0   |
| 043F0036       | 36             | 36-5M-15           | 2F          | 1108     | 28       | 1 1/8 | 57.30      | 56.15        | 60  | 22   | - | - | 22 | 0   | 0   |
| 043F0038       | 38             | 38-5M-15           | 2F          | 1108     | 28       | 1 1/8 | 60.48      | 59.34        | 67  | 22   | - | - | 22 | 0   | 0   |
| 043F0040       | 40             | 40-5M-15           | 2F          | 1108     | 28       | 1 1/8 | 63.66      | 62.52        | 71  | 22   | - | - | 22 | 0   | 0   |
| 043F0044       | 44             | 44-5M-15           | 2F          | 1108     | 28       | 1 1/8 | 70.03      | 68.89        | 75  | 22   | - | - | 22 | 0   | 0   |
| 043F0048       | 48             | 48-5M-15           | 2F          | 1210     | 32       | 1 1/4 | 76.39      | 75.25        | 83  | 22   | - | - | 25 | 3   | 59  |
| 043F0056       | 56             | 56-5M-15           | 2F          | 1210     | 32       | 1 1/4 | 89.13      | 87.98        | 93  | 22   | - | - | 25 | 3   | 75  |
| 043F0064       | 64             | 64-5M-15           | 2F          | 1210     | 32       | 1 1/4 | 101.86     | 100.72       | 106 | 22   | - | - | 25 | 3   | 80  |
| 043F0072       | 72             | 72-5M-15           | 11          | 1610     | 42       | 1 5/8 | 114.59     | 113.45       | -   | 22   | - | - | 25 | 3   | 92  |
| 043F0080       | 80             | 80-5M-15           | 11          | 1610     | 42       | 1 5/8 | 127.32     | 126.18       | -   | 22   | - | - | 25 | 3   | 92  |
| 043F0090       | 90             | 90-5M-15           | 10          | 1610     | 42       | 1 5/8 | 143.24     | 142.10       | -   | 20.5 | - | - | 25 | 2.3 | 92  |
| 043F0112       | 112            | 112-5M-15          | 10          | 1610     | 42       | 1 5/8 | 178.25     | 177.11       | -   | 20.5 | - | - | 25 | 2.3 | 110 |
| 043F0136       | 136            | 136-5M-15          | 10          | 2012     | 50       | 2     | 216.45     | 215.31       | -   | 20.5 | - | - | 32 | 5.8 | 110 |

These pulleys are used for both 15mm wide and 9mm wide belts.

Dimensions in millimetres unless otherwise stated.

\* Pilot bore only

Prime functional dimensions are correct at the time of publication.

Pulley types and non-functional dimensions may vary.

Fenner Torque Drive Plus® 3 8MXP & HTD 8M Pulleys



8mm PULLEYS (20mm WIDE BELT)

| Catalogue Code | No. of Grooves | Pulley Designation | Pulley Type | Bush No. | Max Bore |       | Pitch Dia. | Outside Dia. | A   | F  | J   | K | L  | M | N   |
|----------------|----------------|--------------------|-------------|----------|----------|-------|------------|--------------|-----|----|-----|---|----|---|-----|
|                |                |                    |             |          | Metric   | Inch  |            |              |     |    |     |   |    |   |     |
| 043J0022       | 22             | 22-8M-20           | 4F          | 1008     | 25       | 1     | 56.02      | 54.65        | 60  | 28 | 37  | 6 | 22 | - | -   |
| 043J0024       | 24             | 24-8M-20           | 4F          | 1108     | 28       | 1 1/8 | 61.12      | 59.75        | 66  | 28 | 44  | 6 | 22 | - | -   |
| 043J0026       | 26             | 26-8M-20           | 4F          | 1108     | 28       | 1 1/8 | 66.21      | 64.84        | 70  | 28 | 45  | 6 | 22 | - | -   |
| 043J0028       | 28             | 28-8M-20           | 4F          | 1108     | 28       | 1 1/8 | 71.30      | 70.08        | 75  | 28 | 50  | 6 | 22 | - | -   |
| 043J0030       | 30             | 30-8M-20           | 4F          | 1108     | 28       | 1 1/8 | 76.39      | 75.13        | 83  | 28 | 58  | 6 | 22 | - | -   |
| 043J0032       | 32             | 32-8M-20           | 4F          | 1610     | 42       | 1 5/8 | 81.49      | 80.16        | 87  | 28 | 63  | 3 | 25 | - | -   |
| 043J0034       | 34             | 34-8M-20           | 4F          | 1610     | 42       | 1 5/8 | 86.58      | 85.22        | 91  | 28 | 64  | 3 | 25 | - | -   |
| 043J0036       | 36             | 36-8M-20           | 4F          | 1610     | 42       | 1 5/8 | 91.67      | 90.30        | 97  | 28 | 68  | 3 | 25 | - | -   |
| 043J0038       | 38             | 38-8M-20           | 4F          | 1610     | 42       | 1 5/8 | 96.77      | 95.39        | 102 | 28 | 72  | 3 | 25 | - | -   |
| 043J0040       | 40             | 40-8M-20           | 4F          | 1610     | 42       | 1 5/8 | 101.86     | 100.49       | 106 | 28 | 76  | 3 | 25 | - | -   |
| 043J0044       | 44             | 44-8M-20           | 2F          | 2012     | 50       | 2     | 112.05     | 110.67       | 120 | 28 | 0   | - | 32 | 4 | 92  |
| 043J0048       | 48             | 48-8M-20           | 2F          | 2012     | 50       | 2     | 122.23     | 120.86       | 128 | 28 | 0   | - | 32 | 4 | 96  |
| 043J0056       | 56             | 56-8M-20           | 2F          | 2012     | 50       | 2     | 142.60     | 141.23       | 150 | 28 | 0   | - | 32 | 4 | 110 |
| 043J0064       | 64             | 64-8M-20           | 2F*         | 2012     | 50       | 2     | 162.97     | 161.60       | 168 | 28 | 137 | - | 32 | 4 | 110 |
| 043J0072       | 72             | 72-8M-20           | 2F*         | 2012     | 50       | 2     | 183.35     | 181.97       | 192 | 28 | 158 | - | 32 | 4 | 110 |
| 043J0080       | 80             | 80-8M-20           | 9           | 2012     | 50       | 2     | 203.72     | 202.35       | -   | 28 | 180 | 0 | 32 | 4 | 110 |
| 043J0090       | 90             | 90-8M-20           | 9           | 2012     | 50       | 2     | 229.18     | 227.81       | -   | 28 | 204 | 0 | 32 | 4 | 110 |

\* These pulleys are recessed to a plate centre – under rim diameter J.

8mm PULLEYS (30mm WIDE BELT)

| Catalogue Code | No. of Grooves | Pulley Designation | Pulley Type | Bush No. | Max Bore |       | Pitch Dia. | Outside Dia. | A   | F  | J   | K  | L  | M | N   |
|----------------|----------------|--------------------|-------------|----------|----------|-------|------------|--------------|-----|----|-----|----|----|---|-----|
|                |                |                    |             |          | Metric   | Inch  |            |              |     |    |     |    |    |   |     |
| 043K0022       | 22             | 22-8M-30           | 4F          | 1008     | 25       | 1     | 56.02      | 54.65        | 60  | 38 | 37  | 16 | 22 | 0 | -   |
| 043K0024       | 24             | 24-8M-30           | 4F          | 1108     | 28       | 1 1/8 | 61.12      | 59.75        | 66  | 38 | 44  | 16 | 22 | 0 | -   |
| 043K0026       | 26             | 26-8M-30           | 4F          | 1108     | 28       | 1 1/8 | 66.21      | 64.84        | 70  | 38 | 44  | 16 | 22 | 0 | -   |
| 043K0028       | 28             | 28-8M-30           | 4F          | 1210     | 32       | 1 1/4 | 71.30      | 70.08        | 75  | 38 | 50  | 13 | 25 | 0 | -   |
| 043K0030       | 30             | 30-8M-30           | 2F          | 1615     | 42       | 1 5/8 | 76.39      | 75.13        | 83  | 38 | 0   | 0  | 38 | 0 | -   |
| 043K0032       | 32             | 32-8M-30           | 2F          | 1615     | 42       | 1 5/8 | 81.49      | 80.16        | 87  | 38 | 0   | 0  | 38 | 0 | -   |
| 043K0034       | 34             | 34-8M-30           | 2F          | 1615     | 42       | 1 5/8 | 86.58      | 85.22        | 91  | 38 | 0   | 0  | 38 | 0 | -   |
| 043K0036       | 36             | 36-8M-30           | 2F          | 1615     | 42       | 1 5/8 | 91.67      | 90.30        | 97  | 38 | 0   | 0  | 38 | 0 | -   |
| 043K0038       | 38             | 38-8M-30           | 2F          | 1615     | 42       | 1 5/8 | 96.77      | 95.39        | 102 | 38 | 0   | 0  | 38 | 0 | -   |
| 043K0040       | 40             | 40-8M-30           | 2F          | 1615     | 42       | 1 5/8 | 101.86     | 100.49       | 106 | 38 | 0   | 0  | 38 | 0 | -   |
| 043K0044       | 44             | 44-8M-30           | 4F          | 2012     | 50       | 2     | 112.05     | 110.67       | 120 | 38 | 86  | 6  | 32 | 0 | -   |
| 043K0048       | 48             | 48-8M-30           | 4F          | 2012     | 50       | 2     | 122.23     | 120.86       | 128 | 38 | 90  | 6  | 32 | 0 | -   |
| 043K0056       | 56             | 56-8M-30           | 6F          | 2012     | 50       | 2     | 142.60     | 141.23       | 150 | 38 | 110 | 3  | 32 | 3 | -   |
| 043K0064       | 64             | 64-8M-30           | 2F*         | 2517     | 60       | 2 1/2 | 162.97     | 161.60       | 168 | 38 | 0   | 0  | 45 | 7 | 125 |
| 043K0072       | 72             | 72-8M-30           | 2F*         | 2517     | 60       | 2 1/2 | 183.35     | 181.97       | 192 | 38 | 158 | 0  | 45 | 7 | 125 |
| 043K0080       | 80             | 80-8M-30           | 9           | 2517     | 60       | 2 1/2 | 203.72     | 202.35       | -   | 38 | 180 | 0  | 45 | 7 | 125 |
| 043K0090       | 90             | 90-8M-30           | 9           | 2517     | 60       | 2 1/2 | 229.18     | 227.81       | -   | 38 | 204 | 0  | 45 | 7 | 125 |
| 043K0112       | 112            | 112-8M-30          | 9           | 2517     | 60       | 2 1/2 | 285.21     | 283.83       | -   | 38 | 254 | 0  | 45 | 7 | 125 |
| 043K0144       | 144            | 144-8M-30          | 8           | 2517     | 60       | 2 1/2 | 366.69     | 365.32       | -   | 38 | 336 | 0  | 45 | 7 | 125 |


8mm PULLEYS (50mm WIDE BELT)

| Catalogue Code | No. of Grooves | Pulley Designation | Pulley Type | Bush No. | Max Bore |       | Pitch Dia. | Outside Dia. | A   | F  | J   | K    | L  | M    | N   |
|----------------|----------------|--------------------|-------------|----------|----------|-------|------------|--------------|-----|----|-----|------|----|------|-----|
|                |                |                    |             |          | Metric   | Inch  |            |              |     |    |     |      |    |      |     |
| 043L0028       | 28             | 28-8M-50           | 4F          | 1210     | 32       | 1 1/4 | 71.30      | 70.08        | 75  | 60 | 50  | 35.0 | 25 | 0.0  | -   |
| 043L0030       | 30             | 30-8M-50           | 4F          | 1615     | 42       | 1 5/8 | 76.39      | 75.13        | 83  | 60 | 58  | 22.0 | 38 | 0.0  | -   |
| 043L0032       | 32             | 32-8M-50           | 4F          | 1615     | 42       | 1 5/8 | 81.49      | 80.16        | 87  | 60 | 63  | 22.0 | 38 | 0.0  | -   |
| 043L0034       | 34             | 34-8M-50           | 4F          | 1615     | 42       | 1 5/8 | 86.58      | 85.22        | 91  | 60 | 65  | 22.0 | 38 | 0.0  | -   |
| 043L0036       | 36             | 36-8M-50           | 4F          | 1615     | 42       | 1 5/8 | 91.67      | 90.30        | 97  | 60 | 68  | 22.0 | 38 | 0.0  | -   |
| 043L0038       | 38             | 38-8M-50           | 4F          | 1615     | 42       | 1 5/8 | 96.77      | 95.39        | 102 | 60 | 72  | 22.0 | 38 | 0.0  | -   |
| 043L0040       | 40             | 40-8M-50           | 6F          | 2012     | 50       | 2     | 101.86     | 100.49       | 106 | 60 | 80  | 14.0 | 32 | 14.0 | -   |
| 043L0044       | 44             | 44-8M-50           | 6F          | 2012     | 50       | 2     | 112.05     | 110.67       | 120 | 60 | 86  | 14.0 | 32 | 14.0 | -   |
| 043L0048       | 48             | 48-8M-50           | 6F          | 2012     | 50       | 2     | 122.23     | 120.86       | 128 | 60 | 95  | 14.0 | 32 | 14.0 | -   |
| 043L0056       | 56             | 56-8M-50           | 6F          | 2517     | 60       | 2 1/2 | 142.60     | 141.23       | 150 | 60 | 116 | 7.5  | 45 | 7.5  | -   |
| 043L0064       | 64             | 64-8M-50           | 6F          | 2517     | 60       | 2 1/2 | 162.97     | 161.60       | 168 | 60 | 136 | 7.5  | 45 | 7.5  | -   |
| 043L0072       | 72             | 72-8M-50           | 7F          | 2517     | 60       | 2 1/2 | 183.35     | 181.97       | 192 | 60 | 158 | 7.5  | 45 | 7.5  | 125 |
| 043L0080       | 80             | 80-8M-50           | 6           | 3020     | 75       | 3     | 203.72     | 202.35       | -   | 60 | 180 | 4.5  | 51 | 4.5  | -   |
| 043L0090       | 90             | 90-8M-50           | 7           | 3020     | 75       | 3     | 229.18     | 227.81       | -   | 60 | 204 | 4.5  | 51 | 4.5  | 160 |
| 043L0112       | 112            | 112-8M-50          | 7           | 3020     | 75       | 3     | 285.21     | 283.83       | -   | 60 | 254 | 4.5  | 51 | 4.5  | 170 |
| 043L0144       | 144            | 144-8M-50          | 8           | 3020     | 75       | 3     | 366.69     | 365.32       | -   | 60 | 336 | 4.5  | 51 | 4.5  | 170 |
| 043L0168       | 168            | 168-8M-50          | 10          | 3525     | 100      | 4     | 427.81     | 426.44       | -   | 60 | 395 | 2.5  | 65 | 2.5  | 198 |
| 043L0192       | 192            | 192-8M-50          | 10          | 3525     | 100      | 4     | 488.92     | 487.55       | -   | 60 | 455 | 2.5  | 65 | 2.5  | 198 |

8mm PULLEYS (85mm WIDE BELT)

| Catalogue Code | No. of Grooves | Pulley Designation | Pulley Type | Bush No. | Max Bore |       | Pitch Dia. | Outside Dia. | A   | F  | J   | K  | L  | M  | N   |
|----------------|----------------|--------------------|-------------|----------|----------|-------|------------|--------------|-----|----|-----|----|----|----|-----|
|                |                |                    |             |          | Metric   | Inch  |            |              |     |    |     |    |    |    |     |
| 043M0034       | 34             | 34-8M-85           | 6F          | 1615     | 42       | 1 5/8 | 86.58      | 85.22        | 91  | 95 | 65  | 28 | 38 | 28 | -   |
| 043M0036       | 36             | 36-8M-85           | 6F          | 1615     | 42       | 1 5/8 | 91.67      | 90.30        | 97  | 95 | 68  | 28 | 38 | 28 | -   |
| 043M0038       | 38             | 38-8M-85           | 6F          | 1615     | 42       | 1 5/8 | 96.77      | 95.39        | 102 | 95 | 72  | 28 | 38 | 28 | -   |
| 043M0040       | 40             | 40-8M-85           | 6F          | 2012     | 50       | 2     | 101.86     | 100.49       | 106 | 95 | 80  | 31 | 32 | 31 | -   |
| 043M0044       | 44             | 44-8M-85           | 6F          | 2012     | 50       | 2     | 112.05     | 110.67       | 120 | 95 | 86  | 31 | 32 | 31 | -   |
| 043M0048       | 48             | 48-8M-85           | 6F          | 2517     | 60       | 2 1/2 | 122.23     | 120.86       | 128 | 95 | 97  | 25 | 45 | 25 | -   |
| 043M0056       | 56             | 56-8M-85           | 6F          | 2517     | 60       | 2 1/2 | 142.60     | 141.23       | 150 | 95 | 116 | 25 | 45 | 25 | -   |
| 043M0064       | 64             | 64-8M-85           | 6F          | 2517     | 60       | 2 1/2 | 162.97     | 161.60       | 168 | 95 | 136 | 25 | 45 | 25 | -   |
| 043M0072       | 72             | 72-8M-85           | 6F          | 3020     | 75       | 3     | 183.35     | 181.97       | 192 | 95 | 150 | 22 | 51 | 22 | -   |
| 043M0080       | 80             | 80-8M-85           | 6           | 3020     | 75       | 3     | 203.72     | 202.35       | -   | 95 | 180 | 22 | 51 | 22 | -   |
| 043M0090       | 90             | 90-8M-85           | 6           | 3020     | 75       | 3     | 229.18     | 227.81       | -   | 95 | 204 | 22 | 51 | 22 | -   |
| 043M0112       | 112            | 112-8M-85          | 7           | 3020     | 75       | 3     | 285.21     | 283.83       | -   | 95 | 254 | 22 | 51 | 22 | 170 |
| 043M0144       | 144            | 144-8M-85          | 7           | 3525     | 100      | 4     | 366.69     | 365.32       | -   | 95 | 336 | 15 | 65 | 15 | 198 |
| 043M0168       | 168            | 168-8M-85          | 8           | 3525     | 100      | 4     | 427.81     | 426.44       | -   | 95 | 395 | 15 | 65 | 15 | 198 |
| 043M0192       | 192            | 192-8M-85          | 8           | 3525     | 100      | 4     | 488.92     | 487.55       | -   | 95 | 455 | 15 | 65 | 15 | 198 |

Dimensions in millimetres unless otherwise stated.  
 Prime functional dimensions are correct at the time of publication.  
 Pulley types and non-functional dimensions may vary.



14mm PULLEYS (40mm WIDE BELT)

| Catalogue Code | No. of Grooves | Pulley Designation | Pulley Type | Bush No. | Max Bore |       | Pitch Dia. | Outside Dia. | A   | F  | J   | K    | L  | M    | N   |
|----------------|----------------|--------------------|-------------|----------|----------|-------|------------|--------------|-----|----|-----|------|----|------|-----|
|                |                |                    |             |          | Metric   | Inch  |            |              |     |    |     |      |    |      |     |
| 043N0028       | 28             | 28-14M-40          | 6F          | 2012     | 50       | 2     | 124.78     | 122.12       | 128 | 54 | 94  | 11.0 | 32 | 11.0 | -   |
| 043N0029       | 29             | 29-14M-40          | 6F          | 2012     | 50       | 2     | 129.23     | 126.57       | 138 | 54 | 98  | 11.0 | 32 | 11.0 | -   |
| 043N0030       | 30             | 30-14M-40          | 6F          | 2012     | 50       | 2     | 133.69     | 130.99       | 138 | 54 | 98  | 11.0 | 32 | 11.0 | -   |
| 043N0032       | 32             | 32-14M-40          | 6F          | 2012     | 50       | 2     | 142.60     | 139.88       | 154 | 54 | 108 | 11.0 | 32 | 11.0 | -   |
| 043N0034       | 34             | 34-14M-40          | 6F          | 2517     | 60       | 2 1/2 | 151.51     | 148.79       | 160 | 54 | 110 | 4.5  | 45 | 4.5  | -   |
| 043N0036       | 36             | 36-14M-40          | 6F          | 2517     | 60       | 2 1/2 | 160.43     | 157.68       | 168 | 54 | 120 | 4.5  | 45 | 4.5  | -   |
| 043N0038       | 38             | 38-14M-40          | 6F          | 2517     | 60       | 2 1/2 | 169.34     | 166.60       | 183 | 54 | 130 | 4.5  | 45 | 4.5  | -   |
| 043N0040       | 40             | 40-14M-40          | 6F          | 2517     | 60       | 2 1/2 | 178.25     | 175.49       | 188 | 54 | 138 | 4.5  | 45 | 4.5  | -   |
| 043N0044       | 44             | 44-14M-40          | 6F          | 3020     | 75       | 3     | 196.08     | 193.28       | 211 | 54 | 155 | 1.5  | 51 | 1.5  | -   |
| 043N0048       | 48             | 48-14M-40          | 6F          | 3020     | 75       | 3     | 213.90     | 211.11       | 226 | 54 | 170 | 1.5  | 51 | 1.5  | -   |
| 043N0056       | 56             | 56-14M-40          | 6F          | 3020     | 75       | 3     | 249.55     | 246.76       | 256 | 54 | 208 | 1.5  | 51 | 1.5  | -   |
| 043N0064       | 64             | 64-14M-40          | 7F          | 3020     | 75       | 3     | 285.21     | 282.41       | 296 | 54 | 240 | 1.5  | 51 | 1.5  | 170 |
| 043N0072       | 72             | 72-14M-40          | 7           | 3020     | 75       | 3     | 320.86     | 318.06       | -   | 54 | 280 | 1.5  | 51 | 1.5  | 170 |
| 043N0080       | 80             | 80-14M-40          | 8           | 3020     | 75       | 3     | 356.51     | 353.71       | -   | 54 | 315 | 1.5  | 51 | 1.5  | 170 |
| 043N0090       | 90             | 90-14M-40          | 8           | 3020     | 75       | 3     | 401.07     | 398.28       | -   | 54 | 360 | 1.5  | 51 | 1.5  | 170 |
| 043N0112       | 112            | 112-14M-40         | 8           | 3020     | 75       | 3     | 499.11     | 496.32       | -   | 54 | 457 | 1.5  | 51 | 1.5  | 170 |
| 043N0144       | 144            | 144-14M-40         | 8           | 3020     | 75       | 3     | 641.71     | 638.92       | -   | 54 | 600 | 1.5  | 51 | 1.5  | 170 |
| 043N0168       | 168            | 168-14M-40         | 8           | 3020     | 75       | 3     | 748.66     | 745.87       | -   | 54 | 706 | 1.5  | 51 | 1.5  | 170 |
| 043N0192       | 192            | 192-14M-40         | 8           | 3020     | 75       | 3     | 855.62     | 852.82       | -   | 54 | 813 | 1.5  | 51 | 1.5  | 170 |

14mm PULLEYS (55mm WIDE BELT)

| Catalogue Code | No. of Grooves | Pulley Designation | Pulley Type | Bush No. | Max Bore |       | Pitch Dia. | Outside Dia. | A   | F  | J   | K    | L  | M    | N   |
|----------------|----------------|--------------------|-------------|----------|----------|-------|------------|--------------|-----|----|-----|------|----|------|-----|
|                |                |                    |             |          | Metric   | Inch  |            |              |     |    |     |      |    |      |     |
| 043P0028       | 28             | 28-14M-55          | 6F          | 2012     | 50       | 2     | 124.78     | 122.12       | 128 | 70 | 94  | 19.0 | 32 | 19.0 | -   |
| 043P0029       | 29             | 29-14M-55          | 6F          | 2012     | 50       | 2     | 129.23     | 126.57       | 138 | 70 | 100 | 19.0 | 32 | 19.0 | -   |
| 043P0030       | 30             | 30-14M-55          | 6F          | 2517     | 60       | 2 1/2 | 133.69     | 130.99       | 138 | 70 | 100 | 12.5 | 45 | 12.5 | -   |
| 043P0032       | 32             | 32-14M-55          | 6F          | 2517     | 60       | 2 1/2 | 142.60     | 139.88       | 154 | 70 | 108 | 12.5 | 45 | 12.5 | -   |
| 043P0034       | 34             | 34-14M-55          | 6F          | 2517     | 60       | 2 1/2 | 151.51     | 148.79       | 160 | 70 | 110 | 12.5 | 45 | 12.5 | -   |
| 043P0036       | 36             | 36-14M-55          | 6F          | 2517     | 60       | 2 1/2 | 160.43     | 157.68       | 168 | 70 | 120 | 12.5 | 45 | 12.5 | -   |
| 043P0038       | 38             | 38-14M-55          | 6F          | 2517     | 60       | 2 1/2 | 169.34     | 166.60       | 183 | 70 | 130 | 12.5 | 45 | 12.5 | -   |
| 043P0040       | 40             | 40-14M-55          | 6F          | 2517     | 60       | 2 1/2 | 178.25     | 175.49       | 188 | 70 | 138 | 12.5 | 45 | 12.5 | -   |
| 043P0044       | 44             | 44-14M-55          | 6F          | 3020     | 75       | 3     | 196.08     | 193.28       | 211 | 70 | 155 | 9.5  | 51 | 9.5  | -   |
| 043P0048       | 48             | 48-14M-55          | 6F          | 3020     | 75       | 3     | 213.90     | 211.11       | 226 | 70 | 170 | 9.5  | 51 | 9.5  | -   |
| 043P0056       | 56             | 56-14M-55          | 6F          | 3020     | 75       | 3     | 249.55     | 246.76       | 256 | 70 | 208 | 9.5  | 51 | 9.5  | -   |
| 043P0064       | 64             | 64-14M-55          | 7F          | 3020     | 75       | 3     | 285.21     | 282.41       | 296 | 70 | 240 | 9.5  | 51 | 9.5  | 170 |
| 043P0072       | 72             | 72-14M-55          | 8           | 3020     | 75       | 3     | 320.86     | 318.06       | -   | 70 | 280 | 9.5  | 51 | 9.5  | 170 |
| 043P0080       | 80             | 80-14M-55          | 8           | 3020     | 75       | 3     | 356.51     | 353.71       | -   | 70 | 315 | 9.5  | 51 | 9.5  | 170 |
| 043P0090       | 90             | 90-14M-55          | 8           | 3020     | 75       | 3     | 401.07     | 398.28       | -   | 70 | 360 | 9.5  | 51 | 9.5  | 170 |
| 043P0112       | 112            | 112-14M-55         | 8           | 3020     | 75       | 3     | 499.11     | 496.32       | -   | 70 | 457 | 9.5  | 51 | 9.5  | 170 |
| 043P0144       | 144            | 144-14M-55         | 8           | 3020     | 75       | 3     | 641.71     | 638.92       | -   | 70 | 600 | 9.5  | 51 | 9.5  | 170 |
| 043P0168       | 168            | 168-14M-55         | 8           | 3020     | 75       | 3     | 748.66     | 745.87       | -   | 70 | 706 | 9.5  | 51 | 9.5  | 170 |
| 043P0192       | 192            | 192-14M-55         | 8           | 3020     | 75       | 3     | 855.62     | 852.82       | -   | 70 | 813 | 9.5  | 51 | 9.5  | 170 |

14mm PULLEYS (85mm WIDE BELT)

| Catalogue Code | No. of Grooves | Pulley Designation | Pulley Type | Bush No. | Max Bore |       | Pitch Dia. | Outside Dia. | A   | F   | J   | K    | L   | M    | N   |
|----------------|----------------|--------------------|-------------|----------|----------|-------|------------|--------------|-----|-----|-----|------|-----|------|-----|
|                |                |                    |             |          | Metric   | Inch  |            |              |     |     |     |      |     |      |     |
| 043R0028       | 28             | 28-14M-85          | 6F          | 2517     | 60       | 2 1/2 | 124.78     | 122.12       | 128 | 102 | 98  | 28.5 | 45  | 28.5 | -   |
| 043R0029       | 29             | 29-14M-85          | 6F          | 2517     | 60       | 2 1/2 | 129.23     | 126.57       | 138 | 102 | 60  | 28.5 | 45  | 28.5 | -   |
| 043R0030       | 30             | 30-14M-85          | 6F          | 2517     | 60       | 2 1/2 | 133.69     | 130.99       | 138 | 102 | 100 | 28.5 | 45  | 28.5 | -   |
| 043R0032       | 32             | 32-14M-85          | 6F          | 2517     | 60       | 2 1/2 | 142.60     | 139.88       | 154 | 102 | 108 | 28.5 | 45  | 28.5 | -   |
| 043R0034       | 34             | 34-14M-85          | 6F          | 2517     | 60       | 2 1/2 | 151.51     | 148.79       | 160 | 102 | 110 | 28.5 | 45  | 28.5 | -   |
| 043R0036       | 36             | 36-14M-85          | 6F          | 3020     | 75       | 3     | 160.43     | 157.68       | 168 | 102 | 125 | 25.5 | 51  | 25.5 | -   |
| 043R0038       | 38             | 38-14M-85          | 6F          | 3020     | 75       | 3     | 169.34     | 166.60       | 183 | 102 | 130 | 25.5 | 51  | 25.5 | -   |
| 043R0040       | 40             | 40-14M-85          | 6F          | 3020     | 75       | 3     | 178.25     | 175.49       | 188 | 102 | 138 | 25.5 | 51  | 25.5 | -   |
| 043R0044       | 44             | 44-14M-85          | 6F          | 3030     | 75       | 3     | 196.08     | 193.28       | 211 | 102 | 155 | 13.0 | 76  | 13.0 | -   |
| 043R0048       | 48             | 48-14M-85          | 6F          | 3030     | 75       | 3     | 213.90     | 211.11       | 226 | 102 | 170 | 13.0 | 76  | 13.0 | -   |
| 043R0056       | 56             | 56-14M-85          | 6F          | 3525     | 100      | 4     | 249.55     | 246.76       | 256 | 102 | 210 | 18.5 | 65  | 18.5 | -   |
| 043R0064       | 64             | 64-14M-85          | 7F          | 3525     | 100      | 4     | 285.21     | 282.41       | 296 | 102 | 240 | 18.5 | 65  | 18.5 | -   |
| 043R0072       | 72             | 72-14M-85          | 7           | 3525     | 100      | 4     | 320.86     | 318.06       | -   | 102 | 280 | 18.5 | 65  | 18.5 | 178 |
| 043R0080       | 80             | 80-14M-85          | 7           | 3525     | 100      | 4     | 356.51     | 353.71       | -   | 102 | 315 | 18.5 | 65  | 18.5 | 178 |
| 043R0090       | 90             | 90-14M-85          | 8           | 3525     | 100      | 4     | 401.07     | 398.28       | -   | 102 | 360 | 18.5 | 65  | 18.5 | 178 |
| 043R0112       | 112            | 112-14M-85         | 8           | 3525     | 100      | 4     | 499.11     | 496.32       | -   | 102 | 457 | 18.5 | 65  | 18.5 | 178 |
| 043R0144       | 144            | 144-14M-85         | 8           | 3525     | 100      | 4     | 641.71     | 638.92       | -   | 102 | 600 | 18.5 | 65  | 18.5 | 206 |
| 043R0168       | 168            | 168-14M-85         | 8           | 3525     | 100      | 4     | 748.66     | 745.87       | -   | 102 | 706 | 18.5 | 65  | 18.5 | 206 |
| 043R0192       | 192            | 192-14M-85         | 8           | 4040     | 115      | 4 1/2 | 855.62     | 852.82       | -   | 102 | 813 | 0.0  | 102 | 0.0  | 216 |

Dimensions in millimetres unless otherwise stated Taper Lock pulleys for use with 14MXP and 14M belts of 115mm and 170mm widths are available.

Prime functional dimensions are correct at the time of publication.

Pulley types and non-functional dimensions may vary.