

Geschikt voor Powergrip tandriem

**Profiel H**

Artikelnr.	Z	riem- breedte	mat. figuur	type	taper- bus	Dp	De	Df	Dm	Di	F	S	R	Massa/ kg	
<b>Profiel H</b>															
0874000	16	100	ST	5F	<b>16 H 100</b>	1108	64,68	63,31	71	-	45	31	22	9	0,40
0874019	18	100	ST	5F	<b>18 H 100</b>	1210	72,77	71,39	79	-	52	31	25	6	0,50
0875805	18	150	ST	5F	<b>18 H 150</b>	1210	72,77	71,39	79	-	53	45	25	20	0,60
0876836	18	200	ST	5F	<b>18 H 200</b>	1210	72,77	71,39	79	-	52	58	25	33	0,80
0874027	19	100	ST	5F	<b>19 H 100</b>	1210	76,81	75,44	83	-	56	31	25	6	0,60
1060023	19	150	ST	5F	<b>19 H 150</b>	1210	76,81	75,44	83	-	56	45	25	20	0,70
0876844	19	200	ST	5F	<b>19 H 200</b>	1610	76,81	75,44	83	-	56	58	25	33	0,90
0874035	20	100	ST	5F	<b>20 H 100</b>	1210	80,55	79,48	87	-	60	31	25	6	0,70
0875821	20	150	ST	5F	<b>20 H 150</b>	1210	80,55	79,48	87	-	60	45	25	20	0,80
0876860	20	200	ST	5F	<b>20 H 200</b>	1610	80,55	79,48	87	-	60	58	25	33	1,00
1060029	20	300	ST	4F	<b>20 H 300</b>	1615	80,55	79,48	87	-	65	84	38	23	1,50
0874043	21	100	GG	5F	<b>21 H 100</b>	1210	84,89	83,52	91	-	63	32	25	7	0,80
1060024	21	150	GG	5F	<b>21 H 150</b>	1210	84,89	83,52	91	-	64	45	25	20	1,00
0876879	21	200	GG	5F	<b>21 H 200</b>	1610	84,89	83,52	91	-	64	58	25	33	1,70
0836664	21	300	GG	4F	<b>21 H 300</b>	1615	84,89	83,52	91	-	66	84	38	23	1,20
0874051	22	100	GG	5F	<b>22 H 100</b>	1210	88,94	87,56	93	-	67	32	25	7	0,90
0876410	22	150	GG	5F	<b>22 H 150</b>	1210	88,94	87,56	93	-	68	45	25	20	1,20
0878421	22	200	GG	5F	<b>22 H 200</b>	1610	88,94	87,56	93	-	68	58	25	33	1,50
1060030	22	300	GG	4F	<b>22 H 300</b>	1615	88,94	87,56	93	-	67	84	38	23	1,60
0874078	23	100	GG	5F	<b>23 H 100</b>	1610	92,98	91,61	97	-	71	32	25	7	0,90
0876437	23	150	GG	5F	<b>23 H 150</b>	1610	92,98	91,61	97	-	71	45	25	20	1,30
0876909	23	200	GG	5F	<b>23 H 200</b>	1610	92,98	91,61	97	-	71	58	25	33	1,80
1060031	23	300	GG	4F	<b>23 H 300</b>	1615	92,98	91,61	97	-	71	84	38	23	1,80
0874086	24	100	GG	5F	<b>24 H 100</b>	1610	97,02	95,65	103	-	75	32	25	7	1,00
0876445	24	150	GG	5F	<b>24 H 150</b>	1610	97,02	95,65	103	-	74	45	25	20	1,00
0876925	24	200	GG	5F	<b>24 H 200</b>	1610	97,02	95,65	103	-	74	58	25	33	1,50
1060032	24	300	GG	4F	<b>24 H 300</b>	1615	97,02	95,65	103	-	75	84	38	23	2,10
0875635	25	100	GG	5F	<b>25 H 100</b>	1610	101,06	99,69	106	-	79	32	25	7	1,00
0876453	25	150	GG	5F	<b>25 H 150</b>	1610	101,06	99,69	106	-	78	45	25	20	1,20
0876933	25	200	GG	5F	<b>25 H 200</b>	1610	101,06	99,69	106	-	78	58	25	33	1,50
1060033	25	300	GG	4F	<b>25 H 300</b>	1615	101,06	99,69	106	-	79	84	38	23	2,00
0875643	26	100	GG	5F	<b>26 H 100</b>	1610	105,11	103,73	111	-	83	32	25	7	1,20
0876461	26	150	GG	5F	<b>26 H 150</b>	1610	105,11	103,73	111	-	82	45	25	20	1,40
0876968	26	200	GG	5F	<b>26 H 200</b>	1610	105,11	103,73	111	-	82	58	25	33	1,80
1060034	26	300	GG	4F	<b>26 H 300</b>	1615	105,11	103,73	111	-	83	84	38	23	2,70

Geschikt voor Powergrip tandriem

**Profiel H**

Artikelnr.	Z	riem- breedte	mat.	figuur	type	taper- bus	Dp	De	Df	Dm	Di	F	S	R	Massa/ kg
0875678	27	100	GG	5F	<b>27 H 100</b>	1610	109,15	107,78	115	-	87	32	25	7	1,30
0876488	27	150	GG	5F	<b>27 H 150</b>	1610	109,15	107,78	115	-	87	45	25	20	1,60
0876976	27	200	GG	5F	<b>27 H 200</b>	1610	109,15	107,78	115	-	87	58	25	33	1,90
1060035	27	300	GG	4F	<b>27 H 300</b>	2012	109,15	107,78	115	-	87	84	32	26	3,00
0875686	28	100	GG	5F	<b>28 H 100</b>	1610	113,19	111,82	119	-	91	32	25	7	1,50
0876496	28	150	GG	5F	<b>28 H 150</b>	1610	113,19	111,82	119	-	91	45	25	20	1,80
0876984	28	200	GG	5F	<b>28 H 200</b>	1610	113,19	111,82	119	-	91	58	25	33	1,90
1060036	28	300	GG	4F	<b>28 H 300</b>	2012	113,19	111,82	119	-	91	84	32	26	2,40
0875708	30	100	GG	5F	<b>30 H 100</b>	1610	121,28	119,90	127	-	99	32	25	7	1,70
0876526	30	150	GG	5F	<b>30 H 150</b>	1610	121,28	119,90	127	-	99	45	25	20	2,00
0876992	30	200	GG	5F	<b>30 H 200</b>	1610	121,28	119,90	127	-	99	58	25	33	2,30
1060037	30	300	GG	4F	<b>30 H 300</b>	2012	121,28	119,90	127	-	99	84	32	26	2,90
0875716	32	100	GG	5WF	<b>32 H 100</b>	1610	129,36	127,99	135	92	108	32	25	7	2,00
0876623	32	150	GG	5WF	<b>32 H 150</b>	1610	129,36	127,99	135	92	108	45	25	20	2,30
0877018	32	200	GG	5F	<b>32 H 200</b>	2012	129,36	127,99	135	-	107	58	32	26	3,00
1060038	32	300	GG	4F	<b>32 H 300</b>	2517	129,36	127,99	135	-	107	84	45	19	3,30
0875724	36	100	GG	5WF	<b>36 H 100</b>	1610	145,53	144,16	152	92	124	32	25	7	2,70
0876720	36	150	GG	5WF	<b>36 H 150</b>	1610	145,53	144,16	152	92	124	45	25	20	3,10
0877034	36	200	GG	5WF	<b>36 H 200</b>	2012	145,53	144,16	152	102	124	58	32	26	3,00
1060039	36	300	GG	4F	<b>36 H 300</b>	2517	145,53	144,16	152	-	124	84	45	19	4,50
0875600	40	100	GG	5WF	<b>40 H 100</b>	1610	161,70	160,33	168	92	140	32	25	7	3,60
0876747	40	150	GG	5WF	<b>40 H 150</b>	1610	161,70	160,33	168	92	140	45	25	20	4,00
0877042	40	200	GG	5WF	<b>40 H 200</b>	2012	161,70	160,33	168	106	140	58	32	26	3,60
1060040	40	300	GG	4F	<b>40 H 300</b>	2517	161,70	160,33	168	-	137	84	45	19	6,00
0875619	44	100	GG	3WF	<b>44 H 100</b>	2012	177,87	176,50	184	106	153	32	32	-	3,80
0876755	44	150	GG	5WF	<b>44 H 150</b>	2012	177,87	176,50	184	106	153	45	32	13	4,40
0877069	44	200	GG	5WF	<b>44 H 200</b>	2012	177,87	176,50	184	106	153	58	32	26	4,00
1060041	44	300	GG	4WF	<b>44 H 300</b>	2517	177,87	176,50	184	119	153	86	45	20	6,60
0875589	48	100	GG	3WF	<b>48 H 100</b>	2012	194,04	192,67	200	106	169	32	32	-	3,20
0876763	48	150	GG	5WF	<b>48 H 150</b>	2012	194,04	192,67	200	106	169	45	32	13	4,80
0877077	48	200	GG	5WF	<b>48 H 200</b>	2517	194,04	192,67	200	119	169	58	45	13	4,60
1060042	48	300	GG	4WF	<b>48 H 300</b>	2517	194,04	192,67	200	119	169	86	45	20	7,60
0875775	60	100	GG	9A	<b>60 H 100</b>	2012	242,55	241,18	-	106	223	32	32	1	4,80
0876771	60	150	GG	9A	<b>60 H 150</b>	2012	242,55	241,18	-	106	223	45	32	7	5,40
0877085	60	200	GG	9A	<b>60 H 200</b>	2517	242,55	241,18	-	119	223	58	45	7	7,00
1060043	60	300	GG	9A	<b>60 H 300</b>	2517	242,55	241,18	-	119	223	86	45	20	8,40

Geschikt voor Powergrip tandriem

**Profiel H**

Artikelnr.	Z	riem- breedte	mat.	figuur	type	taper- bus	Dp	De	Df	Dm	Di	F	S	R	Massa/ kg
0875783	72	100	GG	9A	<b>72 H 100</b>	2012	291,06	289,69	-	106	270	34	32	1	5,70
0876798	72	150	GG	9A	<b>72 H 150</b>	2012	291,06	289,69	-	106	270	46	32	7	6,50
0877093	72	200	GG	9A	<b>72 H 200</b>	2517	291,06	289,69	-	119	270	60	45	7	8,00
1060044	72	300	GG	9A	<b>72 H 300</b>	2517	291,06	289,69	-	119	270	86	45	20	10,40
0875791	84	100	GG	9A	<b>84 H 100</b>	2012	339,57	338,20	-	106	318	34	32	1	6,80
0876801	84	150	GG	9A	<b>84 H 150</b>	2012	339,57	338,20	-	106	320	46	32	7	8,40
0877107	84	200	GG	9A	<b>84 H 200</b>	2517	339,57	338,20	-	119	320	60	45	7	9,00
1060045	84	300	GG	9A	<b>84 H 300</b>	2517	339,57	338,20	-	119	320	86	45	20	12,50
1060021	96	100	GG	7A	<b>96 H 100</b>	2517	388,08	386,71	-	119	366	34	45	5	8,20
1060025	96	150	GG	9A	<b>96 H 150</b>	2517	388,08	386,71	-	119	366	46	45	0,5	11,00
1060027	96	200	GG	9A	<b>96 H 200</b>	2517	388,08	386,71	-	119	366	60	45	7	10,00
1060046	96	300	GG	9A	<b>96 H 300</b>	3030	388,08	386,71	-	150	362	86	76	5	14,20
1060022	120	100	GG	7A	<b>120 H 100</b>	2517	485,1	483,73	-	119	462	34	45	5	12,10
1060026	120	150	GG	9A	<b>120 H 150</b>	2517	485,1	483,73	-	119	462	46	45	0,5	14,80
1060028	120	200	GG	9A	<b>120 H 200</b>	2517	485,1	483,73	-	119	462	60	45	7	13,40
1060047	120	300	GG	9A	<b>120 H 300</b>	3030	485,1	483,73	-	150	460	86	76	5	18,80