
BS Bewerkte kettingwielen met geharde tanden

Zie figuur 1 en 2

D (H7)	b (H9)	T		M
10	4	D + 1,8	(+0,1/0)	M3
11	4	D + 1,8	(+0,1/0)	M3
12	4	D + 1,8	(+0,1/0)	M3
14	5	D + 2,3	(+0,1/0)	M4
16	5	D + 2,3	(+0,1/0)	M4
18	6	D + 2,8	(+0,1/0)	M5
19	6	D + 2,8	(+0,1/0)	M5
20	6	D + 2,8	(+0,1/0)	M5
22	6	D + 2,8	(+0,1/0)	M5
24	8	D + 3,3	(+0,2/0)	M6
25	8	D + 3,3	(+0,2/0)	M6
28	8	D + 3,3	(+0,2/0)	M6
30	8	D + 3,3	(+0,2/0)	M6
32	10	D + 3,3	(+0,2/0)	M8
35	10	D + 3,3	(+0,2/0)	M8
38	10	D + 3,3	(+0,2/0)	M8
40	12	D + 3,3	(+0,2/0)	M10
42	12	D + 3,3	(+0,2/0)	M10
45	14	D + 3,8	(+0,2/0)	M12
48	14	D + 3,8	(+0,2/0)	M12
50	14	D + 3,8	(+0,2/0)	M12
60	18	D + 4,4	(+0,2/0)	M12
65	18	D + 4,4	(+0,2/0)	M12
70	20	D + 4,9	(+0,2/0)	M12

BS Bewerkte kettingwielen met geharde tanden

Zie figuur 1 en 3 **mm**
 Radius r **10**
 Radiusbreedte C **1**
 Tandbreedte h₁ **5,3**

Type BS 06B1
3/8" x 7/32"
 b-T-M pagina 1

Artikelnummer	Z	D	H	d
05SA010	10	10	22	24
05SA110	10	11	22	24
05SA210	10	12	22	26
05SA410	10	14	22	29
05SA011	11	10	25	24
05SA211	11	12	25	26
05SA411	11	14	25	29
055A611	11	16	25	31
05SA012	12	10	25	25
05SA212	12	12	25	26
05SA412	12	14	25	29
05SA612	12	16	25	31
055A013	13	10	25	28
05SA213	13	12	25	28
05SA413	13	14	25	29
05SA613	13	16	25	31
05SA813	13	18	25	35
05SA214	14	12	25	31
05SA414	14	14	25	31
05SA614	14	16	25	31
05SA814	14	18	25	35
05SA914	14	19	25	35
05SA215	15	12	25	34
05SA415	15	14	25	34
05SA615	15	16	25	34
05SA815	15	18	25	34
05SA915	15	19	25	35
05SB015	15	20	25	36
05SB215	15	22	25	38
05SB415	15	24	25	42
05SB515	15	25	25	42
05SA216	16	12	28	37
05SA416	16	14	28	37
05SA616	16	16	28	37
05SA816	16	18	28	37
05SA916	16	19	28	37
05SB016	16	20	28	37
05SB216	16	22	28	37
05SB416	16	24	28	42
05SB516	16	25	28	42

Artikelnummer	Z	D	H	d
05SA217	17	12	28	40
05SA417	17	14	28	40
05SA617	17	16	28	40
05SA817	17	18	28	40
05SA917	17	19	28	40
05SB017	17	20	28	40
05SB217	17	22	28	40
05SB417	17	24	28	40
05SB517	17	25	28	42
05SA218	18	12	28	43
05SA418	18	14	28	43
05SA618	18	16	28	43
05SA818	18	18	28	43
05SA918	18	19	28	43
05SB018	18	20	28	43
05SS218	18	22	28	43
05SS418	18	24	28	43
05SB518	18	25	28	43
05SA219	19	12	28	45
05SA419	19	14	28	45
05SA619	19	16	28	45
05SA819	19	18	28	45
055A919	19	19	28	45
05SB019	19	20	28	45
05SB219	19	22	28	45
05SB419	19	24	28	45
055B519	19	25	28	45
05SA220	20	12	28	46
05SA420	45	14	28	46
05SA620	45	16	28	46
05SA820	45	18	28	46
05SA920	45	19	28	46
05SB020	45	20	28	46
05SB220	45	22	28	46
05SB420	45	24	28	46
05SB520	45	25	28	46
05SA621	21	16	28	48
05SA821	21	18	28	48
05SA921	21	19	28	48
05SB021	21	20	28	48

Artikelnummer	Z	D	H	d
05SB221	21	22	28	48
05SB421	21	24	28	48
05SB521	21	25	28	48
05SA622	22	16	28	50
05SA822	22	18	28	50
05SA922	22	19	28	50
05SB022	22	20	28	50
05SB222	22	22	28	50
05SB422	22	24	28	50
05SB522	22	25	28	50
05SA623	23	16	28	52
05SA823	23	18	28	52
05SA923	23	19	28	52
05SB023	23	20	28	52
05SB223	23	22	28	52
05SB423	23	24	28	52
05SB523	23	25	28	52
05SA624	24	16	28	54
05SA824	24	18	28	54
05SA924	24	19	28	54
05SB024	24	20	28	54
05SB224	24	22	28	54
05SB424	24	24	28	54
05SB524	24	25	28	54
05SA625	25	16	28	57
05SA825	25	18	28	57
05SA925	25	19	28	57
05SB025	25	20	28	57
05SB225	25	22	28	57
05SB425	25	24	28	57
05SB525	25	25	28	57

BS Bewerkte kettingwielen met geharde tanden

Zie figuur 1 en 4 **mm**
 Radius r **13**
 Radiusbreedte C **1,3**
 Tandbreedte h₁ **7,2**

Type BS 08B1
1/2" x 5/16"
 b-T-M pagina 1

Artikelnummer	Z	D	H	d
09SA210	10	12	25	26
09SA410	10	14	25	29
09SA610	10	16	25	31
09SA211	11	12	25	29
09SA411	11	14	25	29
09SA611	11	16	25	31
09SA811	11	18	25	34
09SA911	11	19	25	35
09SA212	12	12	28	33
09SA412	12	14	28	33
0gSA612	12	16	28	33
09SA812	12	18	28	33
09SA912	12	19	28	35
09SB012	12	20	28	36
09SB212	12	22	28	38
09SB412	12	24	28	41
09SB512	12	25	28	42
09SA213	13	12	28	37
09SA413	13	14	28	37
09SA613	13	16	28	37
09SA813	13	18	28	37
09SA913	13	19	28	37
09SB013	13	20	28	37
09SB213	13	22	28	37
09SB413	13	24	28	42
09SB513	13	25	28	42
09SB813	13	28	28	45
09SA214	14	12	28	41
09SA414	14	14	28	41
09SA614	14	16	28	41
09SA814	14	18	28	41
09SA914	14	19	28	41
09SB014	14	20	28	41
09SB214	14	22	28	41
09SB414	14	24	28	41
09SB514	14	25	28	41
09SB814	14	28	28	45
09SA215	15	12	28	45
09SA415	15	14	28	45
09SA615	15	16	28	45

Artikelnummer	Z	D	H	d
09SA815	15	18	28	45
09SA915	15	19	28	45
09SB015	15	20	28	45
09SB215	15	22	28	45
09SB415	15	24	28	45
09SB515	15	25	28	45
09SB815	15	28	28	45
09SC015	15	30	28	47
09SC215	15	32	28	49
09SA616	16	16	28	50
09SA816	16	18	28	50
09SA916	16	19	28	50
09SB016	16	20	28	50
09SB216	16	22	28	50
09SB416	16	24	28	50
09SB516	16	25	28	50
09SB816	16	28	28	50
09SC016	16	30	28	50
09SC216	16	32	28	53
09SA617	17	16	28	52
09SA817	17	18	28	52
09SA917	17	19	28	52
09SB017	17	20	28	52
09SB217	17	22	28	52
09SB417	17	24	28	52
09SB517	17	25	28	52
09SB817	17	28	28	52
09SC017	17	30	28	52
09SC217	17	32	28	52
09SA618	18	16	28	56
09SA818	18	18	28	56
09SA918	18	19	28	56
09SB018	18	20	28	56
09SB218	18	22	28	56
09SB418	18	24	28	56
09SB518	18	25	28	56
09SB818	18	28	28	56
09SC018	18	30	28	56
09SC218	18	32	28	56
09SC518	18	35	28	56

Artikelnummer	Z	D	H	d
09SC818	18	38	28	56
09SA619	19	16	28	60
09SA819	19	18	28	60
09SA919	19	19	28	60
09SB019	19	20	28	60
09SB219	19	22	28	60
09SB419	19	24	28	60
09SB519	19	25	28	60
09SB819	19	28	28	60
09SC019	19	30	28	60
09SC219	19	32	28	60
09SC519	19	35	28	60
09SC819	19	38	28	60
09SA620	20	16	28	64
09SA820	20	18	28	64
09SA920	20	19	28	64
09SB020	20	20	28	64
09SB220	20	22	28	64
09SB420	20	24	28	64
09SB520	20	25	28	64
09SB820	20	28	28	64
09SC020	20	30	28	64
09SC220	20	32	28	64
09SC520	20	35	28	64
09SC820	20	38	28	64
09SA621	21	16	28	68
09SA821	21	18	28	68
09SA921	21	19	28	68
09SB021	21	20	28	68
09SB221	21	22	28	68
09SB421	21	24	28	68
09SB521	21	25	28	68
09SB821	21	28	28	68
09SC021	21	30	28	68
09SC221	21	32	28	68
09SC521	21	35	28	68
09SC821	21	38	28	68
09SA622	22	16	28	70
09SA822	22	18	28	70
09SA922	22	19	28	70

BS Bewerkte kettingwielen met geharde tanden

Artikelnummer	Z	D	H	d
09SB022	22	20	28	70
09SB222	22	22	28	70
09SB422	22	24	28	70
09SB522	22	25	28	70
09SB822	22	28	28	70
09SC022	22	30	28	70
09SC222	22	32	28	70
09SC522	22	35	28	70
09SC822	22	38	28	70
09SA923	23	19	28	70
09SB023	23	20	28	70
09SB223	23	22	28	70
09SB423	23	24	28	70
09SB523	23	25	28	70
09SB823	23	28	28	70
09SC023	23	30	28	70
09SC223	23	32	28	70
09SC523	23	35	28	70
09SC823	23	38	28	70
09SA924	24	19	28	70
09SB024	24	20	28	70
09SB224	24	22	28	70
09SB424	24	24	28	70
09SB524	24	25	28	70
09SB824	24	28	28	70
09SC024	24	30	28	70
09SC224	24	32	28	70
09SC524	24	35	28	70
09SC824	24	38	28	70
09SA925	25	19	28	70
09SB025	25	20	28	70
09SB225	25	22	28	70
09SB425	25	24	28	70
09SB525	25	25	28	70
09SB825	25	28	28	70
09SC025	25	30	28	70
09SC225	25	32	28	70
09SC525	25	35	28	70
09SC825	25	38	28	70

BS Bewerkte kettingwielen met geharde tanden

Zie figuur 1 en 5	mm
Radius r	16
Radiusbreedte C	1,6
Tandbreedte h ₁	9,1

Type BS 10B1
5/8" x 3/8"
b-T-M pagina 1

Artikelnummer	Z	D	H	d
10SA610	10	16	25	35
10SA910	10	19	25	35
10SB010	10	20	25	35
10SB410	10	24	25	42
10SA611	11	16	30	37
10SA811	11	18	30	37
10SA911	11	19	30	37
10SB011	11	20	30	37
10SB411	11	24	30	42
10SB511	11	25	30	42
10SB811	11	28	30	45
10SA612	12	16	30	42
10SA812	12	18	30	42
10SA912	12	19	30	42
10SB012	12	20	30	42
10SB212	12	22	30	42
10SB412	12	24	30	42
10SB512	12	25	30	44
10SB812	12	28	30	47
10SC012	12	30	30	49
10SC212	12	32	30	51
10SA613	13	16	30	47
10SA813	13	18	30	47
10SA913	13	19	30	47
10SB013	13	20	30	47
10SB213	13	22	30	47
10SB413	13	24	30	47
10SB513	13	25	30	47
10SB813	13	28	30	47
10SC013	13	30	30	49
10SC213	13	32	30	51
10SA614	14	16	30	52
10SA814	14	18	30	52
10SA914	14	19	30	52
10SB014	14	20	30	52
10SB214	14	22	30	52
10SB414	14	24	30	52
10SB514	14	25	30	52
10SB814	14	28	30	52
10SC014	14	30	30	52

Artikelnummer	Z	D	H	d
10SC214	14	32	30	52
10SA915	15	19	30	57
10SB015	15	20	30	57
10SB215	15	22	30	57
10SB415	15	24	30	57
10SB515	15	25	30	57
10SB815	15	28	30	57
10SC015	15	30	30	57
10SC215	15	32	30	57
10SC515	15	35	30	57
10SA916	16	19	30	60
10SB016	16	20	30	60
10SB216	16	22	30	60
10SB416	16	24	30	60
10SB516	16	25	30	60
10SB816	16	28	30	60
10SC016	16	30	30	60
10SC216	16	32	30	60
10SC516	16	35	30	60
10SC816	16	33	30	60
10SA917	17	19	30	60
10SB017	17	20	30	60
10SB217	17	22	30	60
10SB417	17	24	30	60
10SB517	17	25	30	60
10SB817	17	28	30	60
10SC017	17	30	30	60
10SC217	17	32	30	60
10SC517	17	35	30	60
10SB817	17	38	30	60
10SA918	18	19	30	70
10SB018	18	20	30	70
10SB218	18	22	30	70
10SB418	18	24	30	70
10SB518	18	25	30	70
10SB818	18	28	30	70
10SC018	18	30	30	70
10SC218	18	32	30	70
10SC518	18	35	30	70
10SC818	18	38	30	70

Artikelnummer	Z	D	H	d
10SD018	18	40	30	70
10SD218	18	42	30	70
10SA919	19	19	30	70
10SB019	19	20	30	70
10SB219	19	22	30	70
10SB419	19	24	30	70
10SB519	19	25	30	70
10SB819	19	28	30	70
10SC019	19	30	30	70
10SC219	19	32	30	70
10SC519	19	35	30	70
10SC819	19	38	30	70
10SD019	19	40	30	70
10SD219	19	42	30	70
10SA920	20	19	30	75
10SB020	20	20	30	75
10SB220	20	22	30	75
10SB420	20	24	30	75
10SB520	20	25	30	75
10SB820	20	28	30	75
10SC020	20	30	30	75
10SC220	20	32	30	75
10SC520	20	35	30	75
10SC820	20	38	30	75
10SD020	20	40	30	75
10SD220	20	42	30	75
10SA921	21	19	30	75
10SB021	21	20	30	75
10SB221	21	22	30	75
10SB421	21	24	30	75
10SB521	21	25	30	75
10SB821	21	28	30	75
10SC021	21	30	30	75
10SC221	21	32	30	75
10SC521	21	35	30	75
10SC821	21	38	30	75
10SD021	21	40	30	75
10SD221	21	42	30	75
10SA922	22	19	30	80
10SB022	22	20	30	80

BS Bewerkte kettingwielen met geharde tanden

Artikelnummer	Z	D	H	d
10SB222	22	22	30	80
10SB422	22	24	30	80
10SB522	22	25	30	80
10SB822	22	28	30	80
10SC022	22	30	30	80
10SC222	22	32	30	80
10SC522	22	35	30	80
10SC822	22	38	30	80
10SD022	22	40	30	80
10SD222	22	42	30	80
10SA923	23	19	30	80
10SB023	23	20	30	80
10SB223	23	22	30	80
10SB423	23	24	30	80
10SB523	23	25	30	80
10SB823	23	28	30	80
10SC023	23	30	30	80
10SC223	23	32	30	80
10SC523	23	35	30	80
10SC823	23	38	30	80
10SD023	23	40	30	80
10SD223	23	42	30	80
10SA924	24	19	30	80
10SB024	24	20	30	80
10SB224	24	22	30	80
10SB424	24	24	30	80
10SB524	24	25	30	80
10SB824	24	28	30	80
10SC024	24	30	30	80
10SC224	24	32	30	80
10SC524	24	35	30	80
10SC824	24	38	30	80
10SD024	24	40	30	80
10SD224	24	42	30	80
10SA925	25	19	30	80
10SB025	25	20	30	80
10SB225	25	22	30	80
10SB425	25	24	30	80
10SB525	25	25	30	80
10SB825	25	28	30	80
10SC025	25	30	30	80
10SC225	25	32	30	80
10SC525	25	35	30	80
10SC825	25	38	30	80
10SD025	25	40	30	80
10SD225	25	42	30	80

BS Bewerkte kettingwielen met geharde tanden

Zie figuur 1 **mm**
 Radius r **19**
 Radiusbreedte C **2**
 Tandbreedte h₁ **11,1**

Type BS 12B1
3/4" x 7/16"
 b-T-M pagina 1

Artikelnummer	Z	D	H	d
11SA910	10	19	30	42
11SB010	10	20	30	42
11SB410	10	24	30	42
11SB510	10	25	30	42
11SB810	10	28	30	45
11SC010	10	30	30	47
11SC210	10	32	30	49
11SA911	11	19	35	46
11SB011	11	20	35	46
11SB411	11	24	35	46
11SB511	11	25	35	46
11SB811	11	28	35	49
11SC011	11	30	35	51
11SC211	11	32	35	53
11SA912	12	19	35	52
11SB012	12	20	35	52
11SB212	12	22	35	52
11SB412	12	24	35	52
11SB512	12	25	35	52
11SB812	12	28	35	52
11SC012	12	30	35	52
11SC212	12	32	35	53
11SC512	12	35	35	56
11SA913	13	19	35	58
11SB013	13	20	35	58
11SB213	13	22	35	58
11SB413	13	24	35	58
11SB513	13	25	35	58
11SB813	13	28	35	58
11SC013	13	30	35	58
11SC213	13	32	35	58
11SC513	13	35	35	58
11SC813	13	38	35	58
11SA914	14	19	35	64
11SB014	14	20	35	64
11SB214	14	22	35	64
11SB414	14	24	35	64
11SB514	14	25	35	64
11SB814	14	28	35	64
11SC014	14	30	35	64

Artikelnummer	Z	D	H	d
11SC214	14	32	35	64
11SC514	14	35	35	64
11SC814	14	38	35	64
11SD014	14	40	35	67
11SA915	15	19	35	70
11SB015	15	20	35	70
11SB215	15	22	35	70
11SB415	15	24	35	70
11SB515	15	25	35	70
11SB815	15	28	35	70
11SC015	15	30	35	70
11SC215	15	32	35	70
11SC515	15	35	35	70
11SC815	15	38	35	70
11SD015	15	40	35	70
11SA916	16	19	35	75
11SB016	16	20	35	75
11SB216	16	22	35	75
11SB416	16	24	35	75
11SB516	16	25	35	75
11SB816	16	28	35	75
11SC016	16	30	35	75
11SC216	16	32	35	75
11SC516	16	35	35	75
11SC816	16	38	35	75
11SD016	16	40	35	75
11SB517	17	25	35	80
11SB817	17	28	35	80
11SC017	17	30	35	80
11SC217	17	32	35	80
11SC517	17	35	35	80
11SC817	17	38	35	80
11SD017	17	40	35	80
11SD217	17	42	35	80
11SB518	18	25	35	80
11SB818	18	28	35	80
11SC018	18	30	35	80
11SC218	18	32	35	80
11SC518	18	35	35	80
11SC818	18	38	35	80

Artikelnummer	Z	D	H	d
11SD018	18	40	35	80
11SD218	18	42	35	80
11SB519	19	25	35	80
11SB819	19	28	35	80
11SC019	19	30	35	80
11SC219	19	32	35	80
11SC519	19	35	35	80
11SC819	19	38	35	80
11SD019	19	40	35	80
11SD219	19	42	35	80
11SD519	19	45	35	80
11SD819	19	48	35	80
11SE019	19	50	35	80
11SB520	20	25	35	80
11SB820	20	28	35	80
11SC020	20	30	35	80
11SC220	20	32	35	80
11SC520	20	35	35	80
11SC820	20	38	35	80
11SD020	20	40	35	80
11SD220	20	42	35	80
11SD520	20	45	35	80
11SD820	20	48	35	80
11SE020	20	50	35	80
11SB521	21	25	40	90
11SB821	21	28	40	90
11SC021	21	30	40	90
11SC221	21	32	40	90
11SC521	21	35	40	90
11SC821	21	38	40	90
11SD021	21	40	40	90
11SD221	21	42	40	90
11SD521	21	45	40	90
11SD821	21	48	40	90
11SE021	21	50	40	90
11SB522	22	25	40	90
11SB822	22	28	40	90
11SC022	22	30	40	90
11SC222	22	32	40	90
11SC522	22	35	40	90

BS Bewerkte kettingwielen met geharde tanden

Artikelnummer	Z	D	H	d
11SC822	22	38	40	90
11SD022	22	40	40	90
11SD222	22	42	40	90
11SD522	22	45	40	90
11SD822	22	48	40	90
11SE022	22	50	40	90
11SB523	23	25	40	90
11SB823	23	28	40	90
11SC023	23	30	40	90
11SC223	23	32	40	90
11SC523	23	35	40	90
11SC823	23	38	40	90
11SD023	23	40	40	90
11SD223	23	42	40	90
11SD523	23	45	40	90
11SD823	23	48	40	90
11SE023	23	50	40	90
11SB524	24	25	40	90
11SB824	24	28	40	90
11SC024	24	30	40	90
11SC224	24	32	40	90
11SC524	24	35	40	90
11SC824	24	38	40	90
11SD024	24	40	40	90
11SD224	24	42	40	90
11SD524	24	45	40	90
11SD824	24	48	40	90
11SE024	24	50	40	90
11SB525	25	25	40	90
11SB825	25	28	40	90
11SC025	25	30	40	90
11SC225	25	32	40	90
11SC525	25	35	40	90
11SC825	25	38	40	90
11SD025	25	40	40	90
11SD225	25	42	40	90
11SD525	25	45	40	90
11SD825	25	48	40	90
11SE025	25	50	40	90

BS Bewerkte kettingwielen met geharde tanden

Zie figuur 1 **mm**
 Radius r **26**
 Radiusbreedte C **2,5**
 Tandbreedte h_1 **16,2**

Type BS 16B1
1" x 17,02 mm
 b-T-M pagina 1

Artikelnummer	Z	D	H	d
12SB511	11	25	40	61
12SB811	11	28	40	61
12SC011	11	30	40	61
12SC211	11	32	40	61
12SC511	11	35	40	61
12SC811	11	38	40	65
12SD011	11	40	40	67
12SD211	11	42	40	69
12SB512	12	25	40	69
12SB812	12	28	40	69
12SC012	12	30	40	69
12SC212	12	32	40	69
12SC512	12	35	40	69
12SC812	12	38	40	69
12SD012	12	40	40	69
12SD212	12	42	40	69
12SB513	13	25	40	78
12SB813	13	28	40	78
12SC013	13	30	40	78
12SC213	13	32	40	78
12SC513	13	35	40	78
12SC813	13	38	40	78
12SD013	13	40	40	78
12SD213	13	42	40	78
12SD513	13	45	40	78
12SD813	13	48	40	78
12SE013	13	50	40	82
12SB514	14	25	40	84
12SB814	14	28	40	84
12SC014	14	30	40	84
12SC214	14	32	40	84
12SC514	14	35	40	84
12SC814	14	38	40	84
12SD014	14	40	40	84
12SD214	14	42	40	84
12SD514	14	45	40	84
12SD814	14	48	40	84
12SE014	14	50	40	84
12SB515	15	25	40	92
12SB815	15	28	40	92

Artikelnummer	Z	D	H	d
12SC015	15	30	40	92
12SC215	15	32	40	92
12SC515	15	35	40	92
12SC815	15	38	40	92
12SD015	15	40	40	92
12SD215	15	42	40	92
12SD515	15	45	40	92
12SD815	15	48	40	92
12SE015	15	50	40	92
12SB516	16	25	45	100
12SB816	16	28	45	100
12SC016	16	30	45	100
12SC216	16	32	45	100
12SC516	16	35	45	100
12SC816	16	38	45	100
12SD016	16	40	45	100
12SD216	16	42	45	100
12SD516	16	45	45	100
12SD816	16	48	45	100
12SE016	16	50	45	100
12SB517	17	25	45	100
12SB817	17	28	45	100
12SC017	17	30	45	100
12SC217	17	32	45	100
12SC517	17	35	45	100
12SC817	17	38	45	100
12SD017	17	40	45	100
12SD217	17	42	45	100
12SD517	17	45	45	100
12SD817	17	48	45	100
12SE017	17	50	45	100
12SB518	18	25	45	100
12SB818	18	28	45	100
12SC018	18	30	45	100
12SC218	18	32	45	100
12SC518	18	35	45	100
12SC818	18	38	45	100
12SD018	18	40	45	100
12SD218	18	42	45	100
12SD518	18	45	45	100

Artikelnummer	Z	D	H	d
12SD818	18	48	45	100
12SE018	18	50	45	100
12SB519	19	25	45	100
12SB819	19	28	45	100
12SC019	19	30	45	100
12SC219	19	32	45	100
12SC519	19	35	45	100
12SC819	19	38	45	100
12SD019	19	40	45	100
12SD219	19	42	45	100
12SD519	19	45	45	100
12SD819	19	48	45	100
12SE019	19	50	45	100
12SB520	20	25	45	100
12SB820	20	28	45	100
12SC020	20	30	45	100
12SC220	20	32	45	100
12SC520	20	35	45	100
12SC820	20	38	45	100
12SD020	20	40	45	100
12SD220	20	42	45	100
12SD520	20	45	45	100
12SD820	20	48	45	100
12SE020	20	50	45	100
12SB521	21	25	50	110
12SB821	21	28	50	110
12SC021	21	30	50	110
12SC221	21	32	50	110
12SC521	21	35	50	110
12SC821	21	38	50	110
12SD021	21	40	50	110
12SD221	21	42	50	110
12SD521	21	45	50	110
12SD821	21	48	50	110
12SE021	21	50	50	110
12SB522	22	25	50	110
12SB822	22	28	50	110
12SC022	22	30	50	110
12SC222	22	32	50	110
12SC522	22	35	50	110

BS Bewerkte kettingwielen met geharde tanden

Artikelnummer	Z	D	H	d
12SC822	22	38	50	110
12SD022	22	40	50	110
12SD222	22	42	50	110
12SD522	22	45	50	110
12SD822	22	48	50	110
12SE022	22	50	50	110
12SB523	23	25	50	110
12SB823	23	28	50	110
12SC023	23	30	50	110
12SC223	23	32	50	110
12SC523	23	35	50	110
12SC823	23	38	50	110
12SD023	23	40	50	110
12SD223	23	42	50	110
12SD523	23	45	50	110
12SD823	23	48	50	110
12SE023	23	50	50	110
12SB524	24	25	50	110
12SB824	24	28	50	110
12SC024	24	30	50	110
12SC224	24	32	50	110
12SC524	24	35	50	110
12SC824	24	38	50	110
12SD024	24	40	50	110
12SD224	24	42	50	110
12SD524	24	45	50	110
12SD824	24	48	50	110
12SE024	24	50	50	110
12SB525	25	25	50	110
12SB825	25	28	50	110
12SC025	25	30	50	110
12SC225	25	32	50	110
12SC525	25	35	50	110
12SC825	25	38	50	110
12SD025	25	40	50	110
12SD225	25	42	50	110
12SD525	25	45	50	110
12SD825	25	48	50	110
12SE025	25	50	50	110

BS Bewerkte kettingwielen met geharde tanden

Zie figuur 1	mm
Radius r	32
Radiusbreedte C	3,5
Tandbreedte h_1	18,5

Type BS 20B1
1 1/4" x 3/4"

b-T-M pagina 1

Artikelnummer	Z	D	H	d
13SB509	09	25	40	63
13SC009	09	30	40	63
13SC209	09	32	40	63
13SC509	09	35	40	63
13SC809	09	38	40	63
13SB510	10	25	40	70
13SC010	10	30	40	70
13SC210	10	32	40	70
13SC510	10	35	40	70
13SC810	10	38	40	70
13SB511	11	25	45	77
13SB811	11	28	45	77
13SC011	11	30	45	77
13SC211	11	32	45	77
13SC511	11	35	45	77
13SC811	11	38	45	77
13SD011	11	40	45	77
13SD211	11	42	45	77
13SD511	11	45	45	77
13SE011	11	50	45	82
13SF011	11	60	45	93
13SB512	12	25	45	88
13SB812	12	28	45	88
13SC012	12	30	45	88
13SC212	12	32	45	88
13SC512	12	35	45	88
13SC812	12	38	45	88
13SD012	12	40	45	88
13SD212	12	42	45	88
13SD512	12	45	45	88
13SD812	12	48	45	88
13SE012	12	50	45	88
13SF012	12	60	45	93
13SB513	13	25	45	98
13SB813	13	28	45	98
13SC013	13	30	45	98
13SC213	13	32	45	98
13SC513	13	35	45	98
13SC813	13	38	45	98
13SD013	13	40	45	98

Artikelnummer	Z	D	H	d
13SD213	13	42	45	98
13SD513	13	45	45	98
13SD813	13	48	45	98
13SE013	13	50	45	98
13SF013	13	60	45	98
13SC214	14	32	45	108
13SC514	14	35	45	108
13SC814	14	38	45	108
13SD014	14	40	45	108
13SD214	14	42	45	108
13SD514	14	45	45	108
13SC814	14	48	45	108
13SE014	14	50	45	108
13SF014	14	60	45	108
13SC215	15	32	45	118
13SC515	15	35	45	118
13SC815	15	38	45	118
13SD015	15	40	45	118
13SD215	15	42	45	118
13SD515	15	45	45	118
13SD815	15	48	45	118
13SE015	15	50	45	118
13SF015	15	60	45	118
13SC816	16	38	50	120
13SD016	16	40	50	120
13SD216	16	42	50	120
13SD516	16	45	50	120
13SD816	16	48	50	120
13SE016	16	50	50	120
13SF016	16	60	50	120
13SF516	16	65	50	120
13SG016	16	70	50	120
13SC817	17	38	50	120
13SD017	17	40	50	120
13SD217	17	42	50	120
13SD517	17	45	50	120
13SD817	17	48	50	120
13SE017	17	50	50	120
13SF017	17	60	50	120
13SF517	17	65	50	120

Artikelnummer	Z	D	H	d
13SG017	17	70	50	120
13SC818	18	38	50	120
13SD018	18	40	50	120
13SD218	18	42	50	120
13SD518	18	45	50	120
13SD818	18	48	50	120
13SE018	18	50	50	120
13SF018	18	60	50	120
13SF518	18	65	50	120
13SG018	18	70	50	120
13SC819	19	38	50	120
13SD019	19	40	50	120
13SD219	19	42	50	120
13SD519	19	45	50	120
13SD819	19	48	50	120
13SE019	19	50	50	120
13SF019	19	60	50	120
13SF519	19	65	50	120
13SG019	19	70	50	120
13SC820	20	38	50	120
13SD020	20	40	50	120
13SD220	20	42	50	120
13SD520	20	45	50	120
13SD820	20	48	50	120
13SE020	20	50	50	120
13SF020	20	60	50	120
13SF520	20	65	50	120
13SG020	20	70	50	120